



MOBILE COLD STORAGE CONTAINER



www.norex.com.tr



CONTAINER DIMENSIONS & CAPACITY

WIDHT LENGHT HEIGHT

10 FEET CONTAINER : 2.45 CM X 3 MT X 2.59 CM * 4 EURO PALLETS

20 FEET CONTAINER : 2.45 CM X 6 MT X 2.59 CM * 11 EURO PALLETS

40 FEET CONTAINER : 2.45 CM X 12 MT X 2.89 CM * 23 EURO PALLETS



INSULATION TECHNIC SPECS

POLYURETHANE THICKNESS 80-100-120-150-200 MM

POLYURETHANE DENSITY (EN 1602) 40 (± 2) KG/M³

TEMPERATURE RESISTANCE-200 /+110 °C

FLAMMABILITY CLASS (EN 13501)B. S2 . D0

HEAT TRANSMISSION COEFFICIENT Λ (EN 13165)0,022-0,024 W/MK

WIDTH 1100 MM

GALVANIZED SHEET

TOP METAL THICKNESS 0,50-0,70 MM



**25 TONS
11 EURO
PALLETS**

MOBILE COLD STORAGE CONTAINER ADVANTAGES

**READY TO USE
NO NEED PROJECT-PRODUCTION
MOBILE - MOVEABLE
A PLUS ELECTRIC CONSUMPTION
SHORT DELIVERY
STURDY STEEL FRAME
15 YEARS DURATION OF USE**



COOLING MACHINERY TECHNICAL SPECIFICATIONS

380 V -50/60 HZ ELECTRIC
FEEDING LINE CABLE THICKNESS 4X2,5 MM
CABLE THICKNESS BETWEEN CONDENSER UNIT AND EVAP UNIT 3X1,5 MM
R 404 COOLING GAS
SCROLL COMPRESSOR
CONDENSER SURFACE AREA 17.7 M2
COOLING CAPACITY 4380 WATT/H(-10C / + 45 C)
ELECTRIC CONSUMPTION 2516 WATT/H
COMPRESSOR POWER 3.00 HP
-18 °C / + 10 °C COOLING
NOISE LESS THAN 75 DB (250 HZ BAND)



**MOBILE
COLD STORAGE
CONTAINER**

norexmobilsogukhavadeposu



İstanbul Office
Yenişehir Mah. Dumankaya FLeX Sit B Blok
D :102 Kurtköy Pendik / İstanbul -Türkiye
Tel : +902165771834
 Mobile :+05427311636
E-Mail: info@norex.com.tr

İzmir Factory
Samurlu Mah. Aliğa Yeni Sanayi Sit.
1244 Sok. No:18-C Aliğa -İZMİR
Tel : + 902324845797
 Mobile :+905327311635
E-Mail :onur@norex.com.tr